

RED PARACHUTE SIGNAL ROCKET

datasheet

The Comet Red Parachute Signal Rocket conforms to SOLAS 74/88 as amended. Designed to withstand exceptional environmental exposure and to perform reliably even after immersion in water, the pull wire ignitor and improved grip provides easy handling. Ejecting a red Flare suspended on a parachute at 300m (1000ft), burning for 40 seconds at 30,000 candela.



✓ APPLICATION


A day or night long-range distress signal. May be carried on the ship's bridge and is a requirement in ship's Lifeboats and Liferafts, also suitable for use in other commercial and recreational boats.

✓ STORAGE

Ideally, should be stored in the robust, specially designed Polybottle, or in a dry, easily accessed location at ambient temperature.

✓ OPERATION

1. Hold signal firmly by ribbed handle. Unscrew RED bottom cap. Do not point at people or property.
2. Hold rocket vertically above head pointing away from body.
3. Ensure hands remain clear of top. To fire - pull red ball sharply down.



WARNING:

- Ejects rocket projectile - do not point at people or property
- Do not fire in a confined space
- Keep out of reach of children
- Only for emergency use at sea
- If damaged or dented do not use
- Do not dismantle
- Keep away from source of heat
- Do not use after expiry date



Art No.

9163100



Safety of life at Sea (SOLAS)




Marine Equipment Directive (MED)

DISPOSAL:

- Pyrotechnics must be treated as hazardous items and must be disposed of responsibly in accordance with local regulations. For help and advice, visit our website www.comet-marine.com

RED PARACHUTE SIGNAL ROCKET

techspec



✓ SPECIFICATIONS:

- Length: 295 mm (11.6 ins)
- Diameter at handle: 38 mm (1.5 ins)
- Diameter: 32 mm (1.25 ins)
- Weight: 235g (8.23 oz)
- Net Explosive Cont: 84g (2.94 oz)
- Light intensity: 30,000 candela
- Burning time: 40 seconds
- Colour of light: red
- Ignition: pull-wire ignitor
- Altitude: 300 m (985 ft)

✓ APPROVALS

Conforms to SOLAS 74/88 as amended, IMO Resolution 96/98/EC. SBG 425.005. USCG and other major maritime authorities world wide.

✓ PACKING & TRANSPORT INFORMATION

- 60 rockets in 2 metal tins in a fibreboard box
- Gross weight 18.1Kg (39.91 lbs) ● Net weight 14.1Kg (31.1 lbs)
- Measurements of fibreboard box: 48 x 27 x 37 cm (18.9 x 10.63 x 14.57 in)
- Net Explosive Content per box: 5.04 Kgs (11.1 lbs)
- Hazard Class 1.4G ● UN 0505
- Proper Shipping Name: Signals, Distress, Ship
- Other Information: Cargo Aircraft Only

Authorised Dealer

ADEC MARINE LIMITED
4 MASONS AVENUE
CROYDON, CRO 9XS
TEL 020 8686 9717
sales@adecmarine.co.uk